

DOME

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

DM12, DM14, DM16
DM24, DM28, DM36

PROJECT: _____

SPEC-00027 UPDATED 02/16/2021

NOTE: _____

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Two-toned shade and lens ring finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations



WET LOCATION



DOME ORDER MATRIX (EXAMPLE: DM16LED1227TTLWT-3)

Diameter	Lamp / LED	Shade Finish	Lens Ring Finish ³	Coastal Coating	Mounting Type
DM12 (12")	M (Medium Base, 100W max.)	ABL Aegean Blue	ABL Aegean Blue	(blank) (No Coating)	-2 (½" IP)
DM14 (14")	LED1227^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (¾" IP)
DM16 (16")	LED1230^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK (Gloss Black)		-B (Black Cord Pendant)
DM24 (24")	LED1235^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU (Blue)		-W (White Cord Pendant)
DM28 (28")	LED1240^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG (Dove Gray)		-F (Flush Mount)
DM36 (36")	LED1827^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG (Flannel Gray)		
	LED1830^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA (Galvanized)		
	LED1835^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG (Lime Green)		
	LED1840^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

3. DM12, DM14, DM16 Only

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISHES
● **GA** (Galvanized)



DOME

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

DM12, DM14, DM16
DM24, DM28, DM36

PROJECT: _____

SPEC-00027 UPDATED 02/16/2021

NOTE: _____

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LM18TTL)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	ABL Aegean Blue	(blank) (No coating)	(blank) (120V)
	SL30 (Small Loop - 30")	BB (Burnished Bronze)	-C (Coating)	-27 (277V)
3 (¾" IP)	LL23 (Large Loop - 23")	BK (Gloss Black)		
	LL30 (Large Loop - 30")	BLU (Blue)		
	LC18 (Curve Arm - 18")	DVG (Dove Gray)		
	LC24 (Curve Arm - 24")	FLG (Flannel Gray)		
	LC30 (Curve Arm - 30")	GA (Galvanized)		
	LM18 (Miter Arm - 18")	LG (Lime Green)		
	LM24 (Miter Arm - 24")	MB (Matte Black)		
	LM30 (Miter Arm - 30")	MBL (Midnight Blue)		
	SA18 (Sign Arm - 18")	PNA (Painted Natural Aluminum)		
	SA23 (Sign Arm - 23")	PNC (Painted Natural Copper)		
	LSA23 (Large Loop Sign Arm - 23")	RD (Red)		
	LSA30 (Large Loop Sign Arm - 30")	SGR (Sage Green)		
	A6 (Straight Arm - 6")	SGW (Semi Gloss White)		
	A12 (Straight Arm - 12")	SND (Sand)		
	A18 (Straight Arm - 18")	SS (Satin Silver)		
	A24 (Straight Arm - 24")	TBZ (Textured Bronze)		
	A30 (Straight Arm - 30")	TGP (Textured Graphite)		
	MA18 (Modern Arm - 18")	TNG (Tangerine)		
	MA24 (Modern Arm - 24")	TTL (Tahitian Teal)		
	MA30 (Modern Arm - 30")	WT (Gloss White)		
		YEL (Yellow)		

STANDARD FINISHES


- **ABL** (Aegean Blue)
- **RD** (Red)
- **BB** (Burnished Bronze)
- **SGR** (Sage Green)
- **BK** (Gloss Black)
- SGW** (Semi Gloss White)
- **BLU** (Blue)
- **SND** (Sand)
- **DVG** (Dove Gray)
- **SS** (Satin Silver)
- **FLG** (Flannel Gray)
- **TBZ** (Textured Bronze)
- **LG** (Lime Green)
- **TGP** (Textured Graphite)
- **MB** (Matte Black)
- **TNG** (Tangerine)
- **MBL** (Midnight Blue)
- **TTL** (Tahitian Teal)
- **PNA** (Painted Natural Aluminum)
- WT** (Gloss White)
- **PNC** (Painted Natural Copper)
- **YEL** (Yellow)

SPECIALTY FINISHES


- **GA** (Galvanized)

Note: All arm mounts include canopy


120V CANOPY




277V CANOPY




SMALL LOOP ARM




LARGE LOOP ARM




CURVE ARM




MITER ARM




SIGN ARM




LARGE LOOP SIGN ARM



STRAIGHT ARM



MODERN ARM



DOME

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

DM12, DM14, DM16
DM24, DM28, DM36

PROJECT: _____

SPEC-00027 UPDATED 02/16/2021


NOTE: _____

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTTL)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	ABL (Aegean Blue)	(blank) (No Coating)
3 (¾" IP)		BB (Burnished Bronze)	-C (Coating)
		BK (Gloss Black)	
		BLU (Blue)	
		DVG (Dove Gray)	
		FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
		SGR (Sage Green)	
		SGW (Semi Gloss White)	
		SND (Sand)	
		SS (Satin Silver)	
		TBZ (Textured Bronze)	
		TGP (Textured Graphite)	
		TNG (Tangerine)	
		TTL (Tahitian Teal)	
		WT (Gloss White)	
		YEL (Yellow)	

KNUCKLE ACCESSORY

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



STANDARD FINISHES

- | | | | | |
|-----------------------|--------------------------------|------------------------------|-------------------------|------------------|
| ABL (Aegean Blue) | FLG (Flannel Gray) | PNC (Painted Natural Copper) | SS (Satin Silver) | WT (Gloss White) |
| BB (Burnished Bronze) | LG (Lime Green) | RD (Red) | TBZ (Textured Bronze) | YEL (Yellow) |
| BK (Gloss Black) | MB (Matte Black) | SGR (Sage Green) | TGP (Textured Graphite) | |
| BLU (Blue) | MBL (Midnight Blue) | SGW (Semi Gloss White) | TNG (Tangerine) | |
| DVG (Dove Gray) | PNA (Painted Natural Aluminum) | SND (Sand) | TTL (Tahitian Teal) | |

SPECIALTY FINISHES

- GA (Galvanized)

DOME

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

DM12, DM14, DM16
DM24, DM28, DM36

PROJECT: _____

SPEC-00027

UPDATED 02/16/2021


NOTE: _____

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1TTL)


Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount) P2 (Double Post Mount) W1 (Traditional Wall Mount)	ABL (Aegean Blue)	(blank) (120V)
		BB (Burnished Bronze)	-27 ³ (277V)
		BK (Gloss Black)	
	BLU (Blue)		
	DVG (Dove Gray)		
	FLG (Flannel Gray)		
	GA (Galvanized)		
	LG (Lime Green)		
	MB (Matte Black)		
	MBL (Midnight Blue)		
	PNA (Painted Natural Aluminum)		
	PNC (Painted Natural Copper)		
	RD (Red)		
	SGR (Sage Green)		
	SGW (Semi Gloss White)		
	SND (Sand)		
SS (Satin Silver)			
TBZ (Textured Bronze)			
TGP (Textured Graphite)			
TNG (Tangerine)			
TTL (Tahitian Teal)			
WT (Gloss White)			
YEL (Yellow)			

3. Post mount only


SINGLE POST MOUNT



DOUBLE POST MOUNT



TRADITIONAL WALL MOUNT




POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TTL)

Post Type	Finish
PM4946 (Cast Aluminum Post)	ABL (Aegean Blue)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	BB (Burnished Bronze)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	BK (Gloss Black)
P8684-96 (96" Straight Aluminum Post)	BLU (Blue)
P8684-120 (120" Straight Aluminum Post)	DVG (Dove Gray)
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8638)	FLG (Flannel Gray)
	GA (Galvanized)
	LG (Lime Green)
	MB (Matte Black)
	MBL (Midnight Blue)
	PNA (Painted Natural Aluminum)
	PNC (Painted Natural Copper)
	RD (Red)
	SGR (Sage Green)
	SGW (Semi Gloss White)
	SND (Sand)
	SS (Satin Silver)
	TBZ (Textured Bronze)
	TGP (Textured Graphite)
	TNG (Tangerine)
	TTL (Tahitian Teal)
	WT (Gloss White)
	YEL (Yellow)

STANDARD FINISHES

- ABL (Aegean Blue)
- MBL (Midnight Blue)
- TBZ (Textured Bronze)
- BB (Burnished Bronze)
- PNA (Painted Natural Aluminum)
- TGP (Textured Graphite)
- BK (Gloss Black)
- PNC (Painted Natural Copper)
- TNG (Tangerine)
- BLU (Blue)
- RD (Red)
- TTL (Tahitian Teal)
- DVG (Dove Gray)
- SGR (Sage Green)
- WT (Gloss White)
- FLG (Flannel Gray)
- SGW (Semi Gloss White)
- YEL (Yellow)
- LG (Lime Green)
- SND (Sand)
- GA (Galvanized)
- MB (Matte Black)
- SS (Satin Silver)



Note: Must be used with aluminum post (P8684)



DOME

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

DM12, DM14, DM16
DM24, DM28, DM36

SPEC-00027 UPDATED 02/16/2021


PROJECT: _____

NOTE: _____

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS36TTL)


Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	ABL (Aegean Blue)	(blank) (No Coating)
	HS18 (18")	BB (Burnished Bronze)	-C (Coating)
	HS24 (24")	BK (Gloss Black)	
	HS36 (36")	BLU (Blue)	
	HS48 (48")	DVG (Dove Gray)	
	HS__ (Custom length from 2" up to 60")	FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
		SGR (Sage Green)	
		SGW (Semi Gloss White)	
		SND (Sand)	
		SS (Satin Silver)	
	TBZ (Textured Bronze)		
	TGP (Textured Graphite)		
	TNG (Tangerine)		
	TTL (Tahitian Teal)		
	WT (Gloss White)		
	YEL (Yellow)		

Stem mounts can be used for sloped ceiling up to 30°




Note: All stems include 2 3/8" canopy and ball swivels


PENDANT CANOPY



CEILING FLUSH MOUNT CANOPY



Note: Ceiling flush mount canopy includes 2" stem



STANDARD FINISHES

- | | | | | |
|-----------------------|--------------------------------|------------------------------|-------------------------|------------------|
| ABL (Aegean Blue) | FLG (Flannel Gray) | PNC (Painted Natural Copper) | SS (Satin Silver) | WT (Gloss White) |
| BB (Burnished Bronze) | LG (Lime Green) | RD (Red) | TBZ (Textured Bronze) | YEL (Yellow) |
| BK (Gloss Black) | MB (Matte Black) | SGR (Sage Green) | TGP (Textured Graphite) | |
| BLU (Blue) | MBL (Midnight Blue) | SGW (Semi Gloss White) | TNG (Tangerine) | |
| DVG (Dove Gray) | PNA (Painted Natural Aluminum) | SND (Sand) | TTL (Tahitian Teal) | |

SPECIALTY FINISHES

- GA (Galvanized)

